

LBP LEASING AND FINANCE CORPORATION (A LANDBANK Subsidiary)

15th Floor SycipLaw Centre Bldg, #105 Paseo de Roxas St. 1226 Makati City Telephone Number 8818-2200/ Fax Number 8819-6176

REQUEST FOR QUOTATION

LBP Leasing Corporation and Finance Corporation (LLFC) through its Bids and Awards Committee (BAC) will undertake a Small Value Procurement in accordance with Section 53.0 of the 2016 Revised Implementing Rules and Regulations of the Republic Act No. 9184.

Name of the Project	Supply and Delivery of Firewall License for Three (3) Years (LLFC-CAP-21-006)
Approved Budget of the Contract (ABC)	Three Hundred Thousand Pesos (P300,000.00)

REQU	REMENTS
1 unit Firewall Appliance with Three (3) Years License	Additional 5 User License SSL VPN
 3 Years Local Support- Unlimited email /phone/remote support. On-site Technical Support with Maximum of 5 Tickets per year 24 x 7 product support 	Implementation, Installation and UAT
SPECIFICATION	NS AND FEATURES
Operating System: SonicOS 7.0	Firewall inspection throughput1: 4.00 Gpbs
Interfaces: 10x1GbE, 2x5GbE, 2 USB 3.0, 1 Console	Threat prevention throughput2: 2.00 Gpbs
Power over Ethernet (PoE) support: 5 PoE or 3 PoE+	Application inspection throughput2 2.5 Gbps
Expansion: Storage Expansion Slot (Up to 256GB, Rear)	IPS throughput2: 2.5 Gbps
TLS/SSL inspection and decryption throughput (DPI SSL)2: 750 Mbps	Management: Management Network Security Manager, CLI, SSH, Web UI, GMS, REST APIs
IPSec VPN throughput3: 1.80 Gbps	Anti-malware inspection throughput2: 2.00 Gbps
Connections per second: 16,000	SSL VPN licenses (maximum): 2 (200)
IPSec VPN clients (maximum): 10 (500)	Route-based VPN RIP, OSPF, BGP
Encryption/authentication: DES, 3DES, AES (128, 192, 256-bit)/MD5, SHA-1, Suite B Cryptography	Route-based VPN: Verisign, Thawte, Cybertrust, RSA Keon, Entrust and Microsoft CA for SonicWall-to-SonicWall VPN, SCEP
VPN features: Dead Peer Detection, DHCP Over VPN, IPSec NAT Traversal, Redundant VPN Gateway	Global VPN client platforms supported: Microsoft® Windows 10
NetExtender: Microsoft® Windows 10, Linux	Mobile Connect: Apple® iOS, Mac OS X, Google® Android™, Kindle Fire, Chrome OS, Windows 10
IP address assignment: Static (DHCP, PPPoE, L2TP and PPTP client), Internal DHCP server, DHCP relay	Standards: TCP/IP, UDP, ICMP, HTTP, HTTPS, IPSec, ISAKMP/IKE, SNMP, DHCP, PPPoE, L2TP, PPTP, RADIUS, IEEE 802.3
Application Control: • Application control • Application bandwidth management • Custom application signature creation • Data leakage prevention	VoIP: Full H.323v1-5, SIP • Granular QoS control • Bandwidth management • DPI for VoIP traffic • H.323 gatekeeper and SIP proxy support
Application Visualization	DNS Security



Comprehensive Anti-Spam Service	Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning, Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid lists
Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSL • Stateful packet inspection • Reassembly-Free Deep Packet Inspection • DDoS attack protection (UDP/ICMP/SYN flood) • IPv4/IPv6 support • Biometric authentication for remote access • DNS proxy • Full API support • SonicWall Switch integration • SD-WAN scalability • SD-WAN Usability Wizard1 • SonicCoreX and SonicOS containerization • Connections scalability (SPI, DPI, DPI SSL)	Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client
Traffic visualization and analytics • User activity • Application/bandwidth/threat usage • Cloud-based analytics	Enhanced dashboard • Enhanced device view • Top traffic and user summary • Insights to threats • Notification center
Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C)	Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL

NOTES:

- 1. Please accomplish the ff.:
 - a.) Price Quotation Form (Annex "A") together with the supplier's official proposal/quotation
 - b.) Statement of Compliance under Schedule of Requirements and Technical Specifications (Annex "B")
 - c.) Original and notarized Omnibus Sworn Statement (Annex "C")

Submit in a <u>sealed envelope</u> to LBP Leasing and Finance Corporation office located at 15th Floor, SyCip Law Centre Bldg, #105 Paseo de Roxas St., Makati City **on or before May 24, 2021 1:00PM** together with the **Certified True Copies** of the following **Eligibility documents**:

- a.) Valid and current year Mayor's Permit
- b.) Valid and current PhilGEPS Registration Number
- c.) DTI/SEC Registration (for Partnership/Corporation)
- d.) BIR Certificate of Registration (Form 2303)
- e.) Latest Tax Clearance per E.O. 398, series of 2005, as finally reviewed and approved by the BIR
- All quotations must include all applicable taxes and shall be valid for a period of thirty (30) calendar days from the deadline of submission of quotations. Quotations received in excess of the approved budget shall be automatically rejected.
- 3. Liquidated damages equivalent to one tenth (1/10) of the one percent (1%) of the value of Purchase Order not completed within the prescribed completion period shall be imposed per day to day of delay. LLFC may rescind the agreement once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of purchase order, without prejudice to other courses of action and remedies open to it.



- 4. The project shall be awarded to the proponent determined to have submitted the complete and lowest quotation including compliance to the Technical/Other Specifications, Schedule of Requirements and Eligibility documents.
- 5. The prospective bidder shall be a Filipino citizens/sole proprietorship/partnerships/Corporation duly organized under the laws of the Philippines.
- 6. LLFC reserves the right to reject any or all quotations at any time prior to award of the project without thereby incurring any liability to the affected proponents and to waive any minor defects therein to accept the quotation as may be considered more advantageous to the Government.
- 7. Terms of payment shall be within thirty (30) calendar days from date of acceptance. Purchases of the Corporation is subject to a five percent (5%) final VAT (Value Added Tax) in addition to the applicable withholding tax.

For further information, please visit LBP Leasing and Finance Corporation office or contact the BAC Secretariat Mr. Jose Emmanuel I. Guerrero with telephone number 818-2200 or send e-mail to jiguerrero@lbpleasing.com

Atty. Marla A. Barcenilla Chairperson

Bids and Awards Committee

Price Quotation Form

Date:			
ATTY. MARLA A. BARCENILLA Chairperson, Bids and Awards C LBP Leasing and Finance Corporation 15th Flr., Sycip Law Center, #105 Makati City	ommittee ration (LLFC)	,	
Dear Atty. Barcenilla:			
After having carefully read and Quotation (RFQ), hereunder is ou	•		•
Description/ Specifications:	Qty.	Unit Price (P)	Total Price (P)
(In details)			
Amount in Words:			
Warranty			
The above-quoted prices are inc Leasing and Finance Corporati Purchase Order (P.O.) and Notice	ion shall be within th		•
Very truly yours,			
Printed Name over Signature of A	 Authorized Represen	ıtative	

*Please submit all the required eligibility documents together with the Annexes "A, B and C"

Name of Company

Contact No./s

<u>Technical/Other Specifications, Schedule of Requirements and Eligibility Requirements</u>

Bidders must state **"Comply"** in the column "Statement of Compliance" against each of the individual parameters.

Requirements	Statement of Compliance
One (1) unit Firewall Appliance with Three (3) Years License	-
3 Years Local Support - Unlimited email /phone/remote support. On-site Technical Support with maximum of 5 Tickets per year 24 x 7 product support Additional 5 User License SSL VPN	
Implementation, Installation and UAT	
Specifications and Features	
Operating System: SonicOS 7.0	
Interfaces: 10x1GbE, 2x5GbE, 2 USB 3.0, 1 Console	
Power over Ethernet (PoE) support: 5 PoE or 3 PoE+	
Expansion: Storage Expansion Slot (Up to 256GB, Rear)	
Firewall inspection throughput1: 4.00 Gpbs	
Threat prevention throughput2: 2.00 Gpbs	
Application inspection throughput2 2.5 Gbps	
IPS throughput2: 2.5 Gbps	
TLS/SSL inspection and decryption throughput (DPI SSL)2: 750 Mbps	
IPSec VPN throughput3: 1.80 Gbps	
Connections per second: 16,000	
IPSec VPN clients (maximum): 10 (500)	
Management: Management Network Security Manager, CLI, SSH, Web UI, GMS, REST APIs	
Anti-malware inspection throughput2: 2.00 Gbps	
SSL VPN licenses (maximum): 2 (200)	
Route-based VPN RIP, OSPF, BGP	
Encryption/authentication: DES, 3DES, AES (128, 192, 256-bit)/MD5, SHA-1, Suite B	
Cryptography VPN features: Dead Peer Detection, DHCP Over VPN, IPSec NAT Traversal, Redundant VPN	
Gateway Route-based VPN: Verisign, Thawte, Cybertrust, RSA Keon, Entrust and Microsoft CA for SonicWall-to- SonicWall VPN, SCEP	
IP address assignment: Static (DHCP, PPPoE, L2TP and PPTP client), Internal DHCP server, DHCP relay	
Global VPN client platforms supported: Microsoft® Windows 10	
NetExtender: Microsoft® Windows 10, Linux	
Mobile Connect: Apple® iOS, Mac OS X, Google® Android™, Kindle Fire, Chrome OS, Windows 10	
Standards: TCP/IP, UDP, ICMP, HTTP, HTTPS, IPSec, ISAKMP/IKE, SNMP, DHCP, PPPoE, L2TP, PPTP, RADIUS, IEEE 802.3	
Application Control: • Application control • Application bandwidth management • Custom application signature creation • Data leakage prevention	

VoIP* Full H323/1-5, SIP - Granular CoS centrol - Bandwidth management - DPI for VoIP traffic - H.323 gatekeeper and SIP proxy support Application Visualization DNS Security Comprehensive Anti-Spam Service Content Filtering Barotice (CFS): HTTP URL, HTTPS IP, keyword and content scanning. Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allowforbid lists Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSL - Stateful packet inspection - Reassembly-Free Deep Packet Inspection - Put-IPV6 support - Biometric authentication for remote access - DNS proxy - Full API support - SonicWall Switch integration - Connections scalability (SPI, DPI, DPI SSL) - Capture Advanced Threat Protection: - Real-Time Deep Memory inspection - Connections scalability (SPI, DPI, DPI SSL) - Capture Advanced Threat Protection: - Real-Time Deep Memory inspection - Real-Time Deep Memory inspection - Provided Memory of the Protection o		
- Bandwidth management DPI for VolP traffic H.323 gatekeeper and SIP proxy support - Application Visualization DNS Security Comprehensive Anti-Spam Service Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning, Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid lists Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSL - Stateful packet inspection - Reassembly-Free Deep Packet Inspection - PevalPy-6 support - Biometric authentication for remote access - DNS proxy - IPVAIPy-6 support - SonicWall Switch integration - Sprowy - Sprowy - Spl-WAN Scalability - SD-WAN Isability Wizard1 - SonicCorex And SonicOS containerization - Connections scalability (SPL DPL DPI SSL) - Capture Advanced Threat Protection: - Real-Time Deep Memory Inspection - Cloud-based multi-engine analysis - Virtualized sandboxing - Hypervisor level analysis - Full system emulation - Broad file type examination - Automated and manual submission - Real-time threat intelligence updates - Block until verdict - Capture Cilent - Traffic visualization and analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - User activity - Application/bandwidth/threat usage - Cloud-based malytics - User activity - Application/bandwidth/threat usage - Cloud-based malytics - User activity - Application/bandwidth/threat usage - Cloud-based malytics - User activity - Application/bandwidth/threat usage - Cloud-based malytics - User activity - Application/bandwidth/threat usage - Cloud-based malytics - User activity - Application/bandwidth/threat usage - Cloud-based malytics - User activity - Application/ba	VoIP: Full H.323v1-5, SIP	
- DPI for VoIP traffic		
+.1.323 gatekeeper and SIP proxy support Application Visualization DNS Security Comprehensive Anti-Spam Service Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning. Comprehensive illitering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid lists Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSI. Staleful packet inspection Reassembly-Free Deep Packet Inspection - Doos attack protection (UDP/ICM/P/STN flood) - IPV4/IPV6 Support - Blometric authentication for remote access - DNS proxy - Full API support - SonicWall Switch integration - SD-WAN Scalability - SD-WAN Scalability - SD-WAN Scalability - SD-WAN Scalability (SPI, DPI, DPI SSI.) Capture Advanced Threat Protection: - Real-Time Deep Memory, Inspection - Cloud-based multi-engine analysis - Hypervisor level analysis - Hypervisor level analysis - Full system smulation - Broad file type examination - Automated and manual submission - Real-time theat intelligence updates - Block until verdic' - Capture Client Traffic visualization and analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - User activity - Application/bandwidth/threat usage - Fundation on the Form factor Desktop Dimensions: 3.5 x 15 x 2.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, ULVCUI, LVIV/SS, SS, SB, Mexico DGN notee by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL - Eligibility Requirements (Certified True Copies only): 1. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (Form 2303)		
Application Visualization DNS Security Comprehensive Anti-Spam Service Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning, Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid lists Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSI. Stateful packet inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSI. Stateful packet inspection (UDPICMP/SYN flood) - (Postal Property Prevention) - (Postal Prevention) - (P		
DNS Security Comprehensive Anti-Spam Service Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning, Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid lists Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSI. Stateful packet inspection - Reassembly-Free Deep Packet Inspection - Reassembly-Free Deep Packet Inspection - Doos attack protection (UDP/ICMP/SYN flood) - Pu4/IPV8 support - Biometric authentication for remote access - DNS proxy - Full API support - SonicWall Switch integration - SD-WAN Isoability Wizard1 - SonicCoreX and SonicCS containerization - Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: - Real-Time Deep Memory Inspection - Cloud-based multi-engine analysis - Virtualized sandboxing - Hypervisor level analysis - Full system emulation - Broad file type examination - Real-time threat intelligence updates - Block until verticit - Capture Client - Traffic visualization and analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - User activity - Application/bandwidth/threat usage - Turaffic and sever summary - Insights to threats - Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32*-1058* F (0*-40° to 158° F (-40° to 70° C) - Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI - Class A, UL-CUL, TUV GS, CB, Mexico DoN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL - Eligibility Requirements (Certified True Copies only): 1. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partmership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Comprehensive Anti-Spam Service Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning, Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid lists Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSL - Stateful packet Inspection - Reassembly-Free Deep Packet Inspection - DDoS attack protection (UDP/ICMP/SYN flood) - IPV4/IPV6 support - Biometric authentication for remote access - DNS proxy - Full API support - SonicVall Switch integration - SD-WAN Scalability - SD-WAN Usability Wizard1 - SONI-WAN Usability Wizard1 - SONI-CORA and SonicoS containerization - Connections scalability (SPI, DPI, DPI SSL) - Capture Advanced Threat Protection: - Real-Time Deep Memory Inspection - Cloud-based multi-engine analysis - Virtualized sandboxing - Hypervisor level analysis - Full system emulation - Broad file type examination - Automated and manual submission - Real-time threat intelligence updates - Block until verdict - Capture Client - Tarffic visualization and analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - Enhanced device view - Top traffic and user summary - Insights to threats - Notification center - Form factor: Desktop - Dimensions: 3.5 x 15 x 2.2.5 (cm) - 1.38 x 5.91 x 8.85 in - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70° C) - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70° C) - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70° C) - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70° C) - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70° C) - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70° C) - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70° C) - Environment (Deerating/Storage): 32°-105° F (0°-40° C)-40° to 158° F (-40° to 70°	Application visualization	
Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning, Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid lists Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SSL - Stateful packet inspection - Reassembly-Free Deep Packet Inspection - DDoS attack protection (UDPI/CMP/SYN flood) - IPv4/IPv6 support - Biometric authentication for remote access - DNS proxy - Full API support - SonicWall Switch integration - SonicWall Switch integration - SonicOreX and SonicOS containerization - Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: - Real-Time Deep Memory Inspection - Cloud-based multi-engine analysis - Virtualized sandboxing - Hypervisor level analysis - Full system emulation - Broad file type examination - Real-time threat intelligence updates - Block until verdict - Automated and manual submission - Real-time threat intelligence updates - Block until verdict - Subrace Client Traffic visualization and analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - Enhanced dashboard - Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32*-105* F (0*-40* O)-40* to 158* F (-40* to 70* C) Major regulatory compliance: FCC Class A, ClES Class A, ClE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/CUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL - Eligibility Requirements (Certified True Copies only): 1. Valid and Current PailGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (for Partnership / Corporations)	DNS Security	
Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid filsts Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SL Stateful packet inspection Reassembly-Free Deep Packet Inspection PDDS attack protection (UDP/ICMP/SYN flood) Plov4/IPv6 support Biometric authentication for remote access DNS proxy Full API support SonicWall Switch integration SD-WAN Scalability SD-WAN Usability Wizard SonicCoreX and SonicCS containerization Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-Time there at intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 2.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, CIE CEMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current YeilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (for Partnership / Corporations)	Comprehensive Anti-Spam Service	
Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy, allow/forbid filsts Deep Packet Inspection services: Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention, DPI SL Stateful packet inspection Reassembly-Free Deep Packet Inspection PDDS attack protection (UDP/ICMP/SYN flood) Plov4/IPv6 support Biometric authentication for remote access DNS proxy Full API support SonicWall Switch integration SD-WAN Scalability SD-WAN Usability Wizard SonicCoreX and SonicCS containerization Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-Time there at intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 2.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, CIE CEMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current YeilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (for Partnership / Corporations)	Content Filtering Service (CFS): HTTP URL, HTTPS IP, keyword and content scanning.	
SSL Stateful packet inspection Reassembly-Free Deep Packet Inspection Pobos attack protection (UDP/ICMP/SYN flood) Plev4/IPV6 support Biometric authentication for remote access DNS proxy Full API support SonieWall Switch integration SonieCoreX and SonieCS containerization Connections scalability SD-WAN Usability Spl Dell CS CONTENT CONTEN	Comprehensive filtering based on file types such as ActiveX, Java, Cookies for privacy,	
Stateful packet inspection Reassembly-Free Deep Packet Inspection DDOS attack protection (UDP/ICMP/SYN flood) IP4/IPv6 support Biometric authentication for remote access DNS proxy Full API support SonicWall Switch integration SD-WAN scalability SD-WAN Usability Wizard1 SonicCoreX and SonicOS containerization - Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection - Cloud-based multi-engine analysis - Virtualized sandboxing - Hypervisor level analysis - Full system emulation - Broad file type examination - Automated and manual submission - Real-time threat intelligence updates - Block until verdict - Capture Client - Traffic visualization and analytics - User activity - Application/bandwidth/threat usage - Cloud-based analytics - Instanced dashboard - Enhanced davice view - Top traffic and user summary - Insights to threats - Notification center - Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in - Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) - Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI - Class A, UL/CUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, - NAATEL Full and Current Year Mayor's Permit 2. Valid and Current Year Mayor's Permit 2. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Reassembly-Free Deep Packet Inspection DDoS attack protection (UDP/ICMP/SYN flood) 1Pv4/IPv6 support 1Biometric authentication for remote access DNS proxy Full API support SonicWall Switch integration SD-WAN scalability SD-WAN scalability Wizard1 SonicCoreX and SonicOS containerization Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCl Class A, UL/CUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Dobs attack protection (UDP/ICMP/SYN flood) IPV4/IPV5 support Biometric authentication for remote access DNS proxy Full API support SonicWall Switch integration SD-WAN Scalability SD-WAN Scalability SD-WAN Scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced deshoard Enhanced deshoard Enhanced deshoard Enhanced deshoard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/CUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
IPV4/IPV6 support		
• DNS proxy • Full API support • SonicWall Switch integration • SD-WAN scalability • SD-WAN Usability Wizard1 • SonicCoreX and SonicOS containerization • Connections scalability (SPI, DPI, DPI SSL) • Capture Advanced Threat Protection: • Real-Time Deep Memory Inspection • Cloud-based multi-engine analysis • Virtualized sandboxing • Hypervisor level analysis • Virtualized sandboxing • Hypervisor level analysis • Full system emulation • Broad file type examination • Broad file type examination • Real-time threat intelligence updates • Block until verdict • Capture Client • Traffic visualization and analytics • User activity • Application/bandwidth/threat usage • Cloud-based analytics • Insights on threats • Notification center • Form factor: Desktop • Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in • Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) • Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI • Class A, UL/c/L, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL • Eligibility Requirements (Certified True Copies only): 1. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Full API support SonicWall Switch integration SD-WAN scalability Wizard1 SonicCorex and SonicOS containerization • Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection • Cloud-based multi-engine analysis • Virtualized sandboxing • Hypervisor level analysis • Full system emulation Broad file type examination • Automated and manual submission • Real-time threat intelligence updates • Block until verdict • Capture Client Traffic visualization and analytics • User activity • Application/bandwidth/threat usage • Cloud-based analytics Enhanced dashboard • Enhanced device view • Top traffic and user summary • Insights to threats • Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)	Biometric authentication for remote access	
SonicWall Switch integration SD-WAN Scalability SD-WAN Usability Wizard1 SonicCoreX and SonicOS containerization Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC class A, ICES Class A, CE (EMC, LVD, ROHS), C-Tick, VCCI class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
SD-WAN scalability Sp-WAN Usability Wizard1 SonicCoreX and SonicOS containerization Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCl Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
SD-WAN Usability Wizard1 SonicCoreX and SonicOS containerization Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
SonicCoreX and SonicOS containerization Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view 1-top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Connections scalability (SPI, DPI, DPI SSL) Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Capture Advanced Threat Protection: Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3,5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCl Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Real-Time Deep Memory Inspection Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Cloud-based multi-engine analysis Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Virtualized sandboxing Hypervisor level analysis Full system emulation Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Hypervisor level analysis Full system emulation Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/CUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)	· · · · · · · · · · · · · · · · · · ·	
• Full system emulation • Broad file type examination • Automated and manual submission • Real-time threat intelligence updates • Block until verdict • Capture Client Traffic visualization and analytics • User activity • Application/bandwidth/threat usage • Cloud-based analytics • Enhanced dashboard • Enhanced device view • Top traffic and user summary • Insights to threats • Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Broad file type examination Automated and manual submission Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Real-time threat intelligence updates Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Block until verdict Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Capture Client Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Traffic visualization and analytics User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
User activity Application/bandwidth/threat usage Cloud-based analytics Enhanced dashboard Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
• Application/bandwidth/threat usage • Cloud-based analytics Enhanced dashboard • Enhanced device view • Top traffic and user summary • Insights to threats • Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
• Cloud-based analytics Enhanced dashboard • Enhanced device view • Top traffic and user summary • Insights to threats • Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Enhanced device view • Enhanced device view • Top traffic and user summary • Insights to threats • Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Enhanced device view Top traffic and user summary Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)	•	
• Top traffic and user summary • Insights to threats • Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
 Insights to threats Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303) 		
• Notification center Form factor: Desktop Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Dimensions: 3.5 x 15 x 22.5 (cm) 1.38 x 5.91 x 8.85 in Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Environment (Operating/Storage): 32°-105° F (0°-40° C)/-40° to 158° F (-40° to 70° C) Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Major regulatory compliance: FCC Class A, ICES Class A, CE (EMC, LVD, RoHS), C-Tick, VCCI Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Class A, UL/cUL, TUV/ GS, CB, Mexico DGN notice by UL, WEEE, REACH, BSMI, KCC/MSIP, ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
ANATEL Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
Eligibility Requirements (Certified True Copies only): 1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
1. Valid and Current Year Mayor's Permit 2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
2. Valid and Current PhilGEPS Registration Number 3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
3. DTI / SEC Registration (for Partnership / Corporations) 4. BIR Certificate of Registration (Form 2303)		
4. BIR Certificate of Registration (Form 2303)	-	
	3. DTI / SEC Registration (for Partnership / Corporations)	
5. Latest Tax Clearance per E.O. 398,s.2005	4. BIR Certificate of Registration (Form 2303)	
	5. Latest Tax Clearance per E.O. 398,s.2005	

I hereby certify to comply and deliver all the above Schedule of Requirements.		
Name of Company /Bidder	Signature over Printed Name of Authorized Representative	Date

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)			
CITY/MUNICIPALITY OF)	S.	.S	

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct:
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

	ereunto set my hand this day of, 20 at
, Philippines.	
	Bidder's Representative/Authorized Signatory

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no and his/her Community Tax Certificate No issued on at
Witness my hand and seal this day of [month] [year].
NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No
Page No
Book No
Series of

* This form will not apply for WB funded projects.